

PATIENT GROUP DIRECTION (PGD)

Administration of TROPICAMIDE eye drops By Registered Practitioners working at University Hospitals of Derby and Burton

Documentation details

Reference no:	UHDB 112
Version no:	1.1
Valid from:	v1.1 amendment from 07/07/2022
Review date:	20/06/2024
Expiry date:	19/09/2024

Change history

Version number	Change details	Date
1.1	Updated to allow use of 0.5% in times of supply failure	06/07/2022

Glossary

Abbreviation	Definition

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 1 of 10



1. PGD template development (PGD Working Group)

PGD Working Group Membership (minimum requirement of consultant, pharmacist and a registered professional who can work under a PGD (or manages the staff who do). If this is a review of existing PGD, replace previous names with the individuals involved for this version

Name	Designation
VICKI MEREDITH	SENIOR SISTER Eye Clinic
MR ANIL KUMAR	CONSULTANT OPHTHALMOLOGIST
LISA NOCK	PHARMACIST

Where an antimicrobial is included, confirm the name, designation and date of the antimicrobial pharmacist who has reviewed this version

Name of antimicrobial pharmacist	Designation	Date Reviewed

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 2 of 10



2. Organisational authorisations

The PGD is not legally valid until it has had the relevant organisational authorisation.

University Hospitals of Derby & Burton NHS Foundation Trust authorises this PGD for use by the services or providers listed below:

Authorised for use by the following organisation and/or services		
All UHDB sites and in clinics operated by UHDB staff at peripheral sites		
Limitations to authorisation		

Organisational Authorisation (legal requirement).			
Role	Name	Sign	Date
Medicines Safety Officer	James Hooley	Signed copy held in Pharmacy	07/07/2022
Pharmacist: Medicines Safety Officer, Chief Pharmacist or assigned deputies)			

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 3 of 10



Additional signatories (required as per legislation and locally agreed policy)			
Role	Name	Sign	Date
Pharmacist	Suzanne Smith	Signed copy held in Pharmacy	07/07/2022
Consultant Ophthalmologist	Ms Chrysa Androulaki	Signed copy held in Pharmacy	07/07/2022
Senior Sister Outpatients	Paramjit Kaur	Signed copy held in Pharmacy	07/07/2022

Local enquiries regarding the use of this PGD may be directed to UHDB.PGDgovernance@nhs.net Section 7 provides a registered health professional authorisation sheet. Individual professionals must be authorised by name to work to this PGD.

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 4 of 10



3. Characteristics of staff

Qualifications and professional registration	 Qualified NMC Registered Nurse HCPC Registered Orthoptist Health Care Professionals (who can legally operate under PGDs) who have undergone additional training to administer drug outlined in this PGD and been assessed as competent. 	
Initial training	 Completion of all Essential-to-role training as outlined in the UHDB PGD policy. Individual has read and understood full content of this PGD and signed authorisation (section 7) The Registered Healthcare Professional will undertake training and will ensure he/she is competent in all aspects of this treatment. 	
Competency assessment	01 % 1 1 1 1	
Ongoing training and competency	Health care professionals must complete annual basic life support and anaphylaxis training to administer drugs under this PGD.	
The decision to supply any medication rests with the individual registered health professional who must abide by the PGD and any associated organisation policies.		

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 5 of 10 Ophthalmology – Tropicamide eye drops



4. Clinical condition or situation to which this PGD applies

Clinical condition or situation to which this PGD applies	To produce mydriasis prior to eye examination, intravitreal injection or laser treatment
Criteria for inclusion	 Adult patients for the above procedures Paediatric patients of all ages requiring ophthalmic examination.
Criteria for exclusion	 Consent not gained Previous local or systemic reactions to the medicine Known or suspected hypersensitivity to any of the ingredients Tropicamide is contraindicated in narrow angle glaucoma and in eyes where the filtration angle is narrow as an attack of angle closure glaucoma may be precipitated. Pregnant or breastfeeding patients
Cautions including any relevant action to be taken	 Ensure emergency drugs and equipment, including adrenaline, are available for the treatment of anaphylaxis and emergencies, according to local policy. Seek further Medical advice for the following: Patients with hyperaemia as systemic absorption could be increased
Action to be taken if the patient is excluded	 Record reasons for exclusion in patient notes Inform doctor Advise patient on alternative treatment
Action to be taken if the patient or carer declines treatment	 Document advice given Inform doctor Advise patient on alternative treatment
Arrangements for referral for medical advice	Inform doctor or suitably qualified specialist in ophthalmology. Discuss potential consequences/referral/records to be kept. The practitioner is expected to use their own clinical judgement and refer patients to OOHs GP/ A&E / Minor Injuries unit / Walk-in centre as they see fit. Provide appropriate details e.g. Eye casualty opening times

5. Description of treatment

Name, strength & formulation of drug	Tropicamide 1% eye drops single dose units (or use 0.5% as alternative in cases where manufacturer cannot supply)
Legal category	Prescription Only Medicine (POM)
Route / method of administration	Instilled into the eye(s) to be examined
Indicate any off-label use (if relevant)	None
Dose and frequency of administration	Adults and children of all ages: One drop in to each eye to be examined, approximately 20 minutes before the examination. Repeated after 5 minutes if necessary.

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 6 of 10



	Adults only: A further drop can be administered after 30
	minutes if required
Duration of treatment	
Quantity to be supplied (leave blank if PGD is administration ONLY)	n/a administration only
Storage	Stock must be securely stored according to UHDB medicines policy and in conditions in line with SPC as detailed below: • Store below 25°C. Do not freeze. • Protect from light.
Drug interactions	The following interactions have been identified and should be considered where it is known a patient is on the following medicines: • None Known A detailed list of drug interactions is available in the SPC, which is available from the electronic Medicines Compendium website: www.medicines.org.uk
Identification & management of adverse reactions	 Stinging on instillation Transient blurring of vision Dry mouth Photophobia Raised intraocular pressure in pre-disposed patients Allergic reactions including red eyes with lacrimation and stringy white discharge. Systemic absorption is unlikely but may manifest as CNS disturbances including hallucinations. This is more likely if used in an inflamed eye as hyperaemia greatly increases the rate of systemic absorption through the cornea.
	A detailed list of adverse reactions is available in the SPC, which is available from the electronic Medicines Compendium website: www.medicines.org.uk
Management of and reporting procedure for adverse reactions	 Healthcare professionals and patients/carers are encouraged to report suspected adverse reactions to the Medicines and Healthcare products Regulatory Agency (MHRA) using the Yellow Card reporting scheme on: https://yellowcard.mhra.gov.uk Record all adverse drug reactions (ADRs) in the patient's medical record. Serious adverse reactions (moderate harm or above as per NRLS definition) should be reported via trust incident management system (e.g. Datix) to ensure duty of candour and learning from harm during clinical use. Anaphylaxis/Emergency Treatment at Derby and main Queens site: Call the crash team via switchboard Anaphylaxis/Emergency treatment (at all other sites): Call 999 Summon help Maintain airway

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 7 of 10



	Follow trust resuscitation guidelines			
Written information to be given to patient or carer	None routinely required for administration in department. May give copy of marketing authorisation holder's patient information leaflet			
	(PIL) which can be obtained from www.medicines.org.uk if required			
Patient advice / follow up treatment	 Patients should be advised to remove contact lenses before the treatment and not to wear until vision has returned to normal. 			
troutmont	Advise that stinging may occur on instillation.			
	 Advise vision may be impaired for up to 24 hours and not to drive or operated hazardous machinery if affected. 			
	The individual/carer should be advised to seek medical advice in the event of an adverse reaction.			
	 Verbal information should be given on the reason for drug 			
	administration, action of the drug, and subsequent management of the condition.			
Records	Document using the system in place for your clinical area which may include: ePMA; patient notes; Treatment card; Eye casualty card; Ophthalmic care pathway.			
	Either the system holding the record, or the healthcare practitioner working under the PGD, must capture/document all of the following: • name of individual, address, date of birth and GP with whom the individual is registered (if relevant) • name of registered health professional • name of medication supplied/administered • date of supply/administration • dose, form and route of supply/administration • quantity supplied/administered • batch number and expiry date (if applicable e.g. injections and implants) • advice given, including advice given if excluded or declines treatment • details of any adverse drug reactions and actions taken • Confirm whether supplied and/or administered and that this was done via Patient Group Direction (PGD) Records should be signed and dated (or a password controlled erecords). All records should be clear, legible and contemporaneous. If you are not recording in ePMA (or other electronic system which has ability to generate audit reports) then a record of all individuals receiving treatment under this PGD should also be in the clinical area for audit purposes as per UHDB PGD policy.			



Key references 6.

Key references	 Electronic Medicines Compendium https://bnf.nice.org.uk/ NICE Medicines practice guideline "Patient Group Directions" https://www.nice.org.uk/guidance/mpg2
----------------	--

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 9 of 10



7. Registered health professional authorisation sheet

PGD Name [version]: Ophthalmology – Tropicamide eye drops [v1.1] PGD ref: UHDB 112

Valid from: 07/07/2022 Expiry date: 19/09/2024

Before signing check that the document you have read is published on Koha or is an in-date hard-copy with all necessary authorisations signed in section 2. The Name/Version/Ref of the document you have read MUST match this authorisation form.

Registered health professional

By signing this patient group direction you are indicating that

- a) You agree to and understand all content and commit to only work within this framework.
- b) You have completed any core PGD e-Learning or training records on My Learning Passport or within your department.
- c) You meet the staff characteristics and have completed any additional learning/competency outlined in Section 3 of this PGD. Patient group directions do not remove inherent professional obligations or accountability.

It is the responsibility of each professional to practise only within the bounds of their own competence and professional code of conduct.

I confirm that I have read and understood the content of this Patient Group Direction and that I am willing and competent to work to it within my professional code of conduct.					
Name	Designation	Signature	Date		

Authorising manager / Assessor

I confirm that the registered health professionals named above have declared themselves suitably trained and competent to work under this PGD. I give authorisation on behalf of University Hospitals of Derby & Burton NHS Foundation Trust for the above named health care professionals who have signed the PGD to work under it.

Name	Designation	Signature	Date

Note to authorising manager

Score through unused rows in the list of registered health professionals to prevent additions post managerial authorisation.

This authorisation sheet must be retained by a manager in the clinical department where the PGD is in-use to serve as a record of those registered health professionals authorised to work under this PGD.

PGD Ref: UHDB 112 v1.1 Valid from: 07/07/2022 Expiry date: 19/09/2024 Page 10 of 10