

Urinary Catheter Valve - Full Clinical Guideline

Ref. No: CG-T/2014/089

Aim

These guidelines will seek to ensure the appropriate use of urinary catheter valves throughout the acute trust.

Purpose and Scope

These guidelines apply to all staff within the secondary care setting. They will ensure that all health care practitioners are able to carry out the relevant risk assessment and are able to identify those patients for whom use of the urinary catheter valve would be potentially harmful and therefore contraindicated. If there is any uncertainty regarding the appropriateness of the urinary catheter valve the Consultant in charge of the patient's care or the Continence Advisory Team should be contacted for specialist advice.

Definition

Urinary Catheter valve – a sterile catheter spigot with a drainage valve.

Background

The catheter valve is an alternative to leg bags/body-worn bags which gives the patient more freedom to move and more discreet drainage. Most valves are designed to fit with linked systems so it is possible to connect to a drainage bag. For example in the night time and for journeys etc ¹

The valve is connected to a catheter outlet allowing the bladder to store urine. Urine is drained by opening the valve on the desire to void. However, if the patient is unable to recognise bladder sensation or if bladder sensation is not present an individual regime of bladder emptying must be established.

Prior to use of the catheter valve:-

- An assessment must be undertaken by a qualified health care practitioner to ensure that the patient is suitable for a catheter valve. ²
- The patient/carer will have received an explanation regarding the assessment, action and management of the valve.
- The nurse will obtain the patient's informed verbal consent, which will be recorded in the nursing notes.
- The nurse will ascertain the intention and/or ability to self-manage the valve.

Assessment

- Confirm the reason for the indwelling catheter.
- Ensure the patient's past medical history does not exclude the use of a catheter valve.
- Ensure the patient has sufficient cognitive function and manual dexterity to manage the valve.

- Assess the ability to tolerate the sensation of bladder fullness present when using the valve.
- Ensure the valve gives an improved quality of life to that experienced when using catheter bags.

Advantages

- Discreet
- Allows normal bladder filling and emptying³
- Use of catheter valve with two-fourly release has been associated with reduced catheter blockage⁴
- Helps with self/body imagine

Contraindications

- Uncontrolled detrusor over activity²
- Reduced bladder capacity²
- Reflux or renal impairment²
- Following catheterisation for decompression of the lower urinary system with chronic retention of urine.
- Lack of cognitive awareness²
- Lack of manual dexterity²
- History of bladder/ureteric/urethral surgery unless advised by Consultant Urologist
- Radical prostatectomy unless advised by Consultant Urologist

Caution

- Impaired or no bladder sensation
- Renal Calculi

Management of the catheter valve

- Wash hands with soap and water before and after dealing with valve.
- If caring for a patients valve, gloves should be worn handling the valve.
- Catheter valve should be changed every 5-7 days as per manufacturers instructions
- Night drainage bag can be attached, valve should be left in the open position whilst drainage bag in situ.

References

1. Colpman D, Welford K. Urinary drainage systems. In: Fillingham S, Douglas J, eds. Urological Nursing. 3rd ed.
2. V. Geng, H. Cobussen-Boekhorst, J. Farrell, M. Gea-Sánchez, I. Pearce, T. Schwennesen, S. Vahr, C. Vandewinkel (2012) Evidence-based Guidelines for Best Practice in Urological Health Care Catheterisation Indwelling catheters in adults Urethral and Suprapubic www.eaun.uroweb.org
3. Cottenden A, Bliss DZ, Buckely B, et al. Management using continence products. In: Abrams P, et al. eds. Incontinence. 4th ed. Paris: 2009:1519-642. http://www.icsoffice.org/Publications/ICI_4/files-book/comite-20.pdf
4. Sabbuba NA, Stickler DJ, et al. Does the valve regulated release of urine from the bladder decrease encrustation and blockage of indwelling catheters by crystalline proteus mirabilis biofilms? J Urol 2005;173 (1):262-6.
[http://www.hopkinsguides.com/hopkins/ub/citation/15592093/Does the valve regulated release of urine from the bladder decrease encrustation and blockage of indwelling catheters by crystalline proteus mirabilis biofilms](http://www.hopkinsguides.com/hopkins/ub/citation/15592093/Does%20the%20valve%20regulated%20release%20of%20urine%20from%20the%20bladder%20decrease%20encrustation%20and%20blockage%20of%20indwelling%20catheters%20by%20crystalline%20proteus%20mirabilis%20biofilms)
<http://www.ncbi.nlm.nih.gov/pubmed/15592093>

Documentation Controls

Development of Guideline:	Anita Counsell Lead CNS Urology/Continence
Consultation with:	Continence Team
Approved By:	Continence Team - December 2020 Surgical Division - January 2021 Reviewed with no changes - Approved by Business Unit - 1/2/2024
Review Date:	February 2027
Key Contact:	Anita Counsell Ex 89162