

## Key Competency 2: Neurogenic Bowel Management

Through discussion, demonstration and observation, workbook completion and Q&A, the healthcare professional must demonstrate;

1.0 Knowledge and understanding of the Anatomy and Physiology of the digestive system

**1.1** Demonstrate knowledge and understanding of gross structure and functions of the digestive system, including:

- 1.1.1 Mouth
- 1.1.2 Salivary Glands
- 1.1.3 Oesophagus
- 1.14 Stomach
- 1.1.5 Small intestine
- 1.1.6 Large intestine
- 1.1.7 Rectum
- 1.1.8 Ano-Rectal sphincter

**1.2** Describe the mechanisms of the normal bowel function:

- 1.2.1 Peristalsis
- 1.2.2 Gastro-colic reflex
- 1.2.3 Ano-rectal sphincter

**1.3** Describe and discuss how Spinal Cord Injury (including cauda equina syndrome (CES) and metastatic spinal cord compression (MSCC)) can affect the bowel:

- 1.3.1 The difference between Reflex bowel and Areflexic/Flaccid bowel
- 1.3.2 Autonomic dysreflexia related to bowel
- 1.3.3 Describe the content of the Patient Safety Alert (NHS/PSA/RE/2018/005) and explain implications for patient safety



### East Midlands Spinal Network

### 2.0 Bowel Assessment of the Spinal Cord Injured patient

### 2.1 Demonstrate knowledge and understanding through discussion, with reference to the evidence base of:

- 2.1.1 The effects of spinal shock on the bowel
  - Areflexic/ Flaccid bowel
  - Paralytic lleus
- 2.1.2 The frequency required for digital rectal examination(DRE), digital removal of faeces (DRF) and/or digital rectal stimulation (DRS)
- 2.1.3 When to discontinue DRE, DRF or DRS and when to escalate care to medics/ SCI Link or SCI Outreach Nurse

### 2.2 Undertake the following procedures in a safe manner and provide an evidence-based rationale for:

Digital Rectal Examination (DRE): Observed practical assessment to include undertaking the following in a safe and professional manner.

- 2.2.1 Gain appropriate consent
- 2.2.2 Provide explanation of the procedure to the patient using layperson terminology
- 2.2.3 Understand any contra-indications
- 2.2.4 Prepare required materials
- 2.2.5 Maintain dignity and privacy (including use of chaperone if required) throughout the procedure
- 2.2.6 Note baseline physiological observations and acknowledge potential changes and warning signs
- 2.2.7 Good hand hygiene and correct PPE
- 2.2.8 Position patient in correct position for procedure
- 2.2.9 Note any physical abnormalities of anus or rectum on visual inspection or examination
- 2.2.10 Note ano-rectal sensation
- 2.2.11 Note any gas or faeces present
- 2.2.12 Note if anal tone is present or absent
- 2.2.13 Note if voluntary anal contraction is present or absent
- 2.2.14 Appropriately dispose of equipment and waste
- 2.2.15 Repeat physiological observations post-procedure
- 2.2.16 Accurately document findings (including stool type, using Bristol Stool Chart)



## **East Midlands Spinal Network**

### **3.0 Bowel Care of the Spinal Cord Injured Patients**

# **3.1** Demonstrate knowledge and understanding of possible complications of inappropriate bowel care:

- 3.1.1 Constipation and faecal impaction
- 3.1.2 Faecal incontinence
- 3.1.3 Megacolon
- 3.1.4 Haemorrhoids
- 3.1.5 Anal fissure
- 3.1.6 Rectal prolapse
- 3.1.7 Perforated bowel
- 3.1.8 Autonomic dysreflexia potential causes, pathophysiology and treatment
- 3.1.9 Abdominal pain/spasm

# **3.2** Digital Removal of Faeces (DRF): Observed practical assessment to include undertaking the following in a safe and professional manner.

- 3.2.1 Gain appropriate consent
- 3.2.2 Provide explanation to patient (as above)
- 3.2.3 Understand any contra-indications
- 3.2.4 Prepare required materials
- 3.2.5 Maintain dignity and privacy (including use of chaperone if required)
- 3.2.6 Note baseline physiological observations
- 3.2.7 Good hand hygiene and correct PPE
- 3.2.8 Position patient in correct position for procedure
- 3.2.9 Carry out DRE as above
- 3.2.10 Identify stool type and if suppositories or enemas are required
- 3.2.11 Removal of faeces using correct technique
- 3.2.12 Repeat DRE to ensure rectum is empty of stool
- 3.2.13 Appropriately dispose of equipment and waste
- 3.2.14 Repeat physiological observations post-procedure
- 3.2.15 Accurately document findings (including stool type, using Bristol Stool Chart)

## **3.3** Digital Rectal Stimulation (DRS) – observed practical assessment to include undertaking the following in a safe and professional manner

- 3.3.1 Gain appropriate consent and explanation to patient as above
- 3.3.2 Understand any contra-indications
- 3.3.3 Prepare required materials
- 3.3.4 Maintain dignity and privacy (including use of chaperone if required)
- 3.3.5 Note baseline physiological observations
- 3.3.6 Good hand hygiene and correct PPE
- 3.3.7 Position patient in correct position for procedure
- 3.3.8 Carry out DRE as above



## **East Midlands Spinal Network**

- 3.3.9 Identify if stool is present and remove using DRF as above
- 3.3.10 Insert rectal stimulant (Enema or suppository, as prescribed)
- 3.3.11 Wait for result of rectal stimulant
- 3.3.12 Repeat DRE.
- 3.3.13 If faeces present, carry out DRS using correct technique
- 3.3.14 Await reflex bowel opening
- 3.3.15 Repeat DRE/DRS until rectum empty
- 3.3.16 Appropriately dispose of equipment and waste
- 3.3.17 Repeat physiological observations post-procedure
- 3.3.18 Accurately document findings (including stool type, using Bristol Stool Chart)

#### 4.0 Pharmacological Management

4.1 You must be able to demonstrate through discussion essential knowledge of (and its application to practice):

- 4.1.1 Lubricating gel (water based)
- 4.1.2 2% Lidocaine gel
- 4.1.3 Microlax enema
- 4.1.4 Movicol/ Macrogol (PO)
- 4.1.5 Senna (PO)
- 4.1.6 Sodium Docusate Enema
- 4.1.7 Sodium Docusate (PO)
- 4.1.8 Large volume enemas (e.g. phosphate and why to avoid)



## Appendix 1. Recommended Reading

- 1) East Midlands Spinal Network Bowel Management Pathway
- Royal College of Nursing Bowel Care (2019). Management of Lower Bowel Dysfunction including Digital Rectal Examination and Digital Removal of Faeces. <u>https://www.rcn.org.uk/-/media/royal-college-of-nursing/documents/publications/2019/september/007-522.pdf</u>
- Krassioukov, A., Eng, J.J., Claxton, G., Shakakibara, B.M. and Shum, S. (2018) Neurogenic bowel management after spinal cord injury: A systematic review of the evidence. Available at: <u>https://www.nature.com/articles/sc201014</u>
- 4) NICE CG75 Metastatic spinal cord compression in adults: risk assessment, diagnosis and management.
- 5) NICE CG49 Faecal incontinence in adults: management.
- 6) British Association of Spinal Cord Injury Specialists (BASCIS), Multi-disciplinary Association of Spinal Cord Injury Professionals (MASCIP) and Spinal Injuries Association (SIA) joint statement on Autonomic Dysreflexia (2017) <u>https://www.mascip.co.uk/wp-content/uploads/2019/01/Statement-on-Autonomic-Dysreflexia-2017.pdf</u>
- 7) NHS Improvement Patient Safety Alert (2018) Resources to support safer bowel care for patients at risk of autonomic dysreflexia <u>https://improvement.nhs.uk/documents/3074/Patient\_Safety\_Alert\_-</u> <u>safer\_care\_for\_patients\_at\_risk\_of\_AD.pdf</u>