Fentanyl (PCA Syringe)				
Indication	Severe pain in patients who are allergic or have a contraindication to morphine			
Dose	Standard Program 10microgram bolus with a 5minute lockout			
Preparation	Fentanyl ampoules contain 500microgram/10ml (50microgram/ml) 1. Draw up 10ml of fentanyl using a filter needle into a 50ml syringe 2. Draw up 40ml of sodium chloride 0.9%.			
Administration	For intermittent bolus through a PCA Pump via a central or peripheral line			
Shelf-life	24 hours at room temperature			
Common Compatibility Issues	Fentanyl PCA is considered compatible with crystalloid infusions. See unit compatibility chart for more information.			
Additional information	PCA syringes are usually manufactured by Pharmacy on request. The standard Fentanyl program on the PCA pump will only allow 10microgram bolus and 5min lockout. No background infusions can be setup. If the anaesthetist or intensivist wants to use a background infusion they will need to use the "Fentanyl User Program".			
	DRUGS ADDED TO THIS INFUSION PATIENT WARD			
Sample Label	A. Patient (A. Number) DRUG Fentanyl in 50ml sodium chloride 0.9% DATE ADDED TIME ADDED	AMOUNT 500microgram (10mcg/ml) EXP. DATE EXP. TIME	ADD BY	CHECKED BY BATCH No.
	DISCONTINUE IF CLOUDINESS OR PRECIPITATE DEVELOPS			

For review June 2026

Documentation Controls

Development of Guideline:	Pharmacist – Critical Care & Theatres		
Consultation with:	Pharmacy Department		
Approved By:	ICU Sister's Meeting:June 2023		
	ICU Risk & Quality Meeting: August 2023		
	Surgical Division		
Review Date:	June 2026		
Key contact:	ct: Pharmacist – Critical Care & Theatr		

References

BMA & Pharmaceutical Press. British National Formulary June 2023.

https://www.medicinescomplete.com/mc/bnf/current/index.htm Accessed June 2023.

Summary of Product Characteristics. http://www.emc.medicines.org.uk. Accessed June 2023 Trissel, L.A. Handbook on Injectable Medicines 18th Edition.

https://www.medicinescomplete.com/mc/hid/current/index.htm Accessed June 2023.

Brayfield A (ed), Martindale: The Complete Drug Reference. [online] London: Pharmaceutical Press http://www.medicinescomplete.com/> (accessed June 2023).

UKCPA. Minimum Infusion Volumes for Fluid Restricted Critically III Patients. 4th Edition (December 2012).

Acute Pain Service. Patient Controlled Analgesia (PCA) Guidelines. CG-PM/2011/013

*** End of Monograph ***